
















































Ref.cislo	Obj.cislo	Popis	
Spotrebne diely vhodne pre Mazak® Super Charge XT510 HI-PRO, NTX48			
			
	HG 10.330	Kompletne telo drziaka trysky.....	
46683301980	HG 10.391		Spojovaci kabel na hlavu senzora.....
46683301400	HG 10.392		Adapter na kabel.....
46683301230	HG 10.331		Kluc.....
46683301110	HG 10.332		Vrchny nosic.....
46683301080	HG 10.333		Teflonove distancne teliesko 27 x 5,5.....
46603350001	HG 10.334		O-Kruzok Ø 31 x 2.....
46683301070	HG 10.335		Zakladna.....
46683301090	HG 10.336		Teflonove distancne teliesko 30 x 4.....
46603300032	HG 10.337		Skrutka M5 x 0,5.....
46683300930	HG 10.338		Kruzok.....
46683301100	HG 10.339		Spodny nosic.....
46683301120	HG 10.340		Teflonove distancne teliesko 24 x 3.....
46683300850	HG 10.341		Drziak trysky.....
46683301130	HG 10.342		Teflonove distancne teliesko 24 x 4.....
46683301140	HG 10.345		Schranka.....
46683301170	HG 10.344		Spojovac.....
46683300000	HG 10.343		Skrutka M2,5 x 4.....
46683301850	HG 10.348		Upevnovacia cast.....
46683301860	HG 10.349		Nosic kabla.....
46683301870	HG 10.350		Krytka.....
46683301150	HG 10.346		Teflonove distancne teliesko 17 x 1,5.....
46683301930	HG 10.390		Teflonove distancne teliesko.....
46683301160	HG 10.347		Kruzok.....



Ref.cislo	Obj.cislo	Popis	
Spotrebne diely vhodné pre Mazak® Laser Turbo 10 kW, Super Turbo 15 kW a Super Turbo Hi-Pro 20 kW			
	HG 10.353	 Kompletne telo drziaka trysky.....	
46603300032	HG 10.337	 Skrutka M5 x 0,5.....	
46603350002	HG 10.338	 Kruzok.....	
46603350001	HG 10.334	 O-Kruzok Ø 31 x 2.....	
46523300080	HG 10.355	 Zakladna.....	
	HG 10.462	 O-Kruzok Ø 22 x 1,5.....	
46603350510	HG 10.304	 Adapter na trysku.....	
46683300030	HG 10.311	 Krytka.....	

Ref.cislo	Obj.cislo	Popis	
		Spotrebne diely vhodne pre Mazak® Laser s CNC L32 Plus Super Charge XT510 a nove: NTX48	
		Medene trysky Standard	
46683301950-8 46683301950-10 46683301950-12 46683301950 46683301821 46683301821-22 46683301960 46683301970	HG 10.650 HG 10.651 HG 10.652 HG 10.653 HG 10.654 HG 10.655 HG 10.656 HG 10.657 HG 10.658 HG 10.659		Tryska Ø 0,8 mm..... Tryska Ø 1,0 mm..... Tryska Ø 1,2 mm..... Tryska Ø 1,5 mm..... Tryska Ø 2,0 mm..... Tryska Ø 2,2 mm..... Tryska Ø 2,5 mm..... Tryska Ø 3,0 mm..... Tryska Ø 3,5 mm..... Tryska Ø 4,0 mm.....
		Chromovane trysky	
46683301950-8 46683301950-10 46683301950-12 46683301950 46683301821 46683301821-22 46683301960 46683301970	HG 10.650/C HG 10.651/C HG 10.652/C HG 10.653/C HG 10.654/C HG 10.655/C HG 10.656/C HG 10.657/C HG 10.658/C HG 10.659/C		Tryska Ø 0,8 mm chromovana Tryska Ø 1,0 mm chromovana Tryska Ø 1,2 mm chromovana Tryska Ø 1,5 mm chromovana Tryska Ø 2,0 mm chromovana Tryska Ø 2,2 mm chromovana Tryska Ø 2,5 mm chromovana Tryska Ø 3,0 mm chromovana Tryska Ø 3,5 mm chromovana Tryska Ø 4,0 mm chromovana
		Medene trysky dvojdielne Standard	
	HG 10.660 HG 10.661 HG 10.662 HG 10.663 HG 10.664 HG 10.665 HG 10.666		Dvojdielna tryska Ø 1,0 mm..... Dvojdielna tryska Ø 1,2 mm..... Dvojdielna tryska Ø 1,5 mm..... Dvojdielna tryska Ø 2,0 mm..... Dvojdielna tryska Ø 2,2 mm..... Dvojdielna tryska Ø 2,5 mm..... Dvojdielna tryska Ø 3,0 mm.....
		Chromovane trysky dvojdielne	
	HG 10.660/C HG 10.661/C HG 10.662/C HG 10.663/C HG 10.664/C HG 10.665/C HG 10.666/C		Dvojdielna tryska Ø 1,0 mm chromovana Dvojdielna tryska Ø 1,2 mm chromovana Dvojdielna tryska Ø 1,5 mm chromovana Dvojdielna tryska Ø 2,0 mm chromovana Dvojdielna tryska Ø 2,2 mm chromovana Dvojdielna tryska Ø 2,5 mm chromovana Dvojdielna tryska Ø 3,0 mm chromovana
Strana 20	© Copyright 2010 by HOLMA® Všetky prava vyhradene.		09/08

Ref.cislo	Obj.cislo	Popis	
Spotrebne diely vhodne pre Mazak® Turbo 10kW, Super Turbo 15kW ako aj Super Turbo Hi-Pro 20kW a Super Turbo X510 HI-PRO			
Medene trysky Standard			
46603350508 46603350511 46603350512 46603350515 46603350517 46603350520 46603350525 46603350530 46603350535 46603350540	HG 10.323 HG 10.307 HG 10.309 HG 10.310 HG 10.324 HG 10.318 HG 10.308 HG 10.325 HG 10.303 HG 10.326	 Adapterova tryska Ø 0,8 mm..... Adapterova tryska Ø 1,0 mm..... Adapterova tryska Ø 1,2 mm..... Adapterova tryska Ø 1,5 mm..... Adapterova tryska Ø 1,7 mm..... Adapterova tryska Ø 2,0 mm..... Adapterova tryska Ø 2,5 mm..... Adapterova tryska Ø 3,0 mm..... Adapterova tryska Ø 3,5 mm..... Adapterova tryska Ø 4,0 mm.....	
46603350508 46603350511 46603350512 46603350515 46603350517 46603350520 46603350525 46603350530	HG 10.475 HG 10.476 HG 10.477 HG 10.478 HG 10.479 HG 10.480 HG 10.481 HG 10.482	 Adapterova 6-rohova tryska Ø 0,8 mm..... Adapterova 6-rohova tryska Ø 1,0 mm..... Adapterova 6-rohova tryska Ø 1,2 mm..... Adapterova 6-rohova tryska Ø 1,5 mm..... Adapterova 6-rohova tryska Ø 1,7 mm..... Adapterova 6-rohova tryska Ø 2,0 mm..... Adapterova 6-rohova tryska Ø 2,5 mm..... Adapterova 6-rohova tryska Ø 3,0 mm.....	
Chromovane trysky (Hard chromium)			
46603350508 46603350511 46603350512 46603350515 46603350517 46603350520 46603350525 46603350530 46603350535 46603350540	HG 10.323/C HG 10.307/C HG 10.309/C HG 10.310/C HG 10.324/C HG 10.318/C HG 10.308/C HG 10.325/C HG 10.303/C HG 10.326/C	 Adapterova tryska Ø 0,8 mm chromovana Adapterova tryska Ø 1,0 mm chromovana Adapterova tryska Ø 1,2 mm chromovana Adapterova tryska Ø 1,5 mm chromovana Adapterova tryska Ø 1,7 mm chromovana Adapterova tryska Ø 2,0 mm chromovana Adapterova tryska Ø 2,5 mm chromovana Adapterova tryska Ø 3,0 mm chromovana Adapterova tryska Ø 3,5 mm chromovana Adapterova tryska Ø 4,0 mm chromovana	
46603350508 46603350511 46603350512 46603350515 46603350517 46603350520 46603350525 46603350530	HG 10.475/C HG 10.476/C HG 10.477/C HG 10.478/C HG 10.479/C HG 10.480/C HG 10.481/C HG 10.482/C	 Adapterova 6-rohova tryska Ø 0,8 mm chromovana .. Adapterova 6-rohova tryska Ø 1,0 mm chromovana .. Adapterova 6-rohova tryska Ø 1,2 mm chromovana .. Adapterova 6-rohova tryska Ø 1,5 mm chromovana .. Adapterova 6-rohova tryska Ø 1,7 mm chromovana .. Adapterova 6-rohova tryska Ø 2,0 mm chromovana .. Adapterova 6-rohova tryska Ø 2,5 mm chromovana .. Adapterova 6-rohova tryska Ø 3,0 mm chromovana ..	
12/08	© Copyright 2010 by HOLMA® Všetky prava vyhradene.		Strana 21

Ref.cislo	Obj.cislo	Popis	
Spotrebne diely vhodné pre Mazak® a Precitec® 5" C/MG 5" H/MG			
4671330032	HG 10.461	 Kruzok pre SPACE GEAR Vespel®	
<u>Všetky trysky balene po 10ks</u>			
281006 281030 281031 280898	HG 10.241 HG 10.242 HG 10.243 HG 10.240 HG 10.239	 Tryska Ø 1,0 mm kk (P0352-333-00010)..... Tryska Ø 1,2 mm kk (P0352-334-00012)..... Tryska Ø 1,5 mm kk (P0352-335-00015)..... Tryska Ø 1,8 mm kk (P0352-336-00018)..... Tryska Ø 2,0 mm kk	
281005 281034 281013 280899 350044-3	HG 10.245 HG 10.246 HG 10.247 HG 10.244 HG 10.248	 Tryska Ø 1,0 mm zk (P0352-323-00010)..... Tryska Ø 1,2 mm zk (P0352-324-00012)..... Tryska Ø 1,5 mm zk (P0352-325-00015)..... Tryska Ø 1,8 mm zk (P0352-326-00018)..... Tryska Ø 2,0 mm zk (P0352-327-00020).....	
	HG 10.286 HG 10.287 HG 10.288 HG 10.289 HG 10.290 HG 10.486 HG 10.487	 Tryska Ø 1,0 mm 3D (P0352-383-00010)..... Tryska Ø 1,2 mm 3D (P0352-384-00012)..... Tryska Ø 1,5 mm 3D (P0352-381-00015)..... Tryska Ø 1,8 mm 3D..... Tryska Ø 2,0 mm 3D (P0352-382-00020)..... Tryska Ø 2,5 mm 3D (P0352-385-00025)..... Tryska Ø 3,0 mm 3D.....	
	HG 10.291 HG 10.292 HG 10.293 HG 10.294 HG 10.295 HG 10.296 HG 10.297	 Tryska Ø 1,0 mm 2D..... Tryska Ø 1,2 mm 2D..... Tryska Ø 1,5 mm 2D (P0352-386-00015)..... Tryska Ø 1,8 mm 2D..... Tryska Ø 2,0 mm 2D (P0352-387-00020)..... Tryska Ø 2,5 mm 2D..... Tryska Ø 3,0 mm 2D.....	
Spotrebne diely vhodné pre Mazak® HyperGear NTX510®			
Chromovane trysky (Hard chromium)			
46143304440 46143304450 46143304460 46143304480 46143304490 46143304500 46143304510	HG 10.685 HG 10.670 HG 10.671 HG 10.672 HG 10.673 HG 10.674 HG 10.675 HG 10.676	 Tryska Ø 1,0 mm chromovana Tryska Ø 1,2 mm chromovana Tryska Ø 1,5 mm chromovana Tryska Ø 2,0 mm chromovana Tryska Ø 2,5 mm chromovana Tryska Ø 3,0 mm chromovana Tryska Ø 3,5 mm chromovana Tryska Ø 4,0 mm chromovana	
	HG 10.677 HG 10.678 HG 10.679 HG 10.680 HG 10.681 HG 10.682 HG 10.683	 Dvojita tryska Ø 1,2 mm chromovana Dvojita tryska Ø 1,5 mm chromovana Dvojita tryska Ø 2,0 mm chromovana Dvojita tryska Ø 2,5 mm chromovana Dvojita tryska Ø 3,0 mm chromovana Dvojita tryska Ø 3,5 mm chromovana Dvojita tryska Ø 4,0 mm chromovana	
Strana 22		© Copyright 2010 by HOLMA® Všetky prava vyhradene.	09/08

Ref. cislo	Obj.cislo	Popis	
		<p>HOLMA® CO₂-Laserove sosovky vhodne pre Mazak®</p>	
	HG 15.015/H	ZnSe-Plankonvex-sosovka 5,00" Vysokotlakova (29 bar), Ø 38,1 mm Ohn.vzdialenosť: 127,0 mm,Hr.okraja: 7,6 mm AR/AR pre 10,6µm (Absorpcia <0.20%)	
	HG 15.024/H	ZnSe-Plankonvex-sosovka 5,00" Vysokotlakova (33 bar), Ø 38,1 mm Ohn.vzdialenosť: 127,0 mm,Hr.okraja: 7,87 mm AR/AR pre 10,6µm (Absorpcia <0.20%)	
	HG 15.029/H	ZnSe-Plankonvex-sosovka 5,00" Vysokotlakova (19 bar), Ø 50,8 mm Ohn.vzdialenosť: 127,0 mm,Hr.okraja: 7,87 mm AR/AR pre 10,6µm (Absorpcia <0.20%)	
	HG 15.002/H	ZnSe-Plankonvex-sosovka 5,00" Vysokotlakova (28 bar), Ø 50,8 mm Ohn.vzdialenosť: 127,0 mm,Hr.okraja: 9,7 mm AR/AR pre 10,6µm (Absorpcia <0.24%)	
	HG 10.167/H	ZnSe-Meniskusova sosovka 5,00" Vysokotlakova (29 bar), Ø 38,1 mm Ohn.vzdialenosť: 127,0 mm, Hr.okraja: 7,4 mm AR/AR pre 10,6µm (Absorpcia <0.20%)	
	HG 10.620/H	ZnSe-Meniskusova sosovka 5,00" Vysokotlakova (28 bar), Ø 50,8 mm Ohn.vzdialenosť: 127,0 mm, Hr.okraja: 9,7 mm AR/AR pre 10,6µm (Absorpcia <0.24%)	
	HG 10.168/H	ZnSe-Meniskusova sosovka 7,50" Vysokotlakova (29 bar), Ø 38,1 mm Ohn.vzdialenosť: 190,5 mm,Hr.okraja: 7,4 mm AR/AR pre 10,6µm (Absorpcia <0.20%)	
	HG 15.016/H	ZnSe-Plankonvex-sosovka 7,50" Vysokotlakova (29 bar), Ø 38,1 mm Ohn.vzdialenosť: 190,5 mm,Hr.okraja: 7,6 mm AR/AR pre 10,6µm (Absorpcia <0.20%)	
	HG 10.621/H	ZnSe-Meniskusova sosovka 7,50" Vysokotlakova (28 bar), Ø 50,8 mm Ohn.vzdialenosť: 190,5 mm,Hr.okraja: 9,7 mm AR/AR pre 10,6µm (Absorpcia <0.24%)	
	HG 15.028/H	ZnSe-Plankonvex-sosovka 7,50" Vysokotlakova (19 bar), Ø 50,8 mm Ohn.vzdialenosť: 190,5 mm,Hr.okraja: 7,87 mm AR/AR pre 10,6µm (Absorpcia <0.20%)	
	HG 15.003/H	ZnSe-Plankonvex-sosovka 7,50" Vysokotlakova (28 bar), Ø 50,8 mm Ohn.vzdialenosť: 190,5 mm,Hr.okraja: 9,7 mm AR/AR pre 10,6µm (Absorpcia <0.24%)	
	HG 10.622/H	ZnSe-Meniskusova sosovka 10,00" Vysokotlakova (28 bar), Ø 50,8 mm Ohn.vzdialenosť: 254,0 mm,Hr.okraja: 9,7 mm AR/AR pre 10,6µm (Absorpcia <0.24%)	
		<p>Pri strojoch s vykonom vacsim ako 4kW odporucame sosovky HOLMA Ultra-Low s ultra tenkym povlakom. Vzhladom na to, ze tieto sosovky maju nizsiu absorpcnu hodnotu (<0,12%) ako standardne, je prijem tepla mensi, a tym sa znižuje ich napätie a opticke natiahnutie. Okrem toho maju tieto sosovky stabilnejšiu fokusovu polohu. To plati obzvlast pri znečistení. Tieto sosovky nisu čierne a neodlisuju sa opticky od standartnych sosoviek. HOLMA Ultra Low-sosovky su na okraji primerane oznacene.</p>	
	HG 10.167/HU	ZnSe-Meniskusova sosovka 5,00" Vysokotlakova (29 bar), Ø 38,1 mm Ohn.vzdialenosť: 127,0 mm,Hr.okraja: 7,4 mm HOLMA® Ultra Low AR/AR pre 10,6µm (Absorpcia <0.12%)	
	HG 10.168/HU	ZnSe-Meniskusova sosovka 7,50" Vysokotlakova (29 bar), Ø 38,1 mm Ohn.vzdialenosť: 190,5 mm,Hr.okraja: 7,4 mm HOLMA® Ultra Low AR/AR pre 10,6µm (Absorpcia <0.12%)	
		<p>➔ Dalsie HOLMA® -Sosovky s Ultra-Low povrchom su obdržitelne na dopyt!!!!</p>	
09/10		<p>© Copyright 2010 by HOLMA® Všetky prava vyhradene.</p>	Strana 23

Ref. číslo	Obj. číslo	Popis	
		<p>HOLMA® Prislusenstvo na cistenie CO₂-Laserovych sosoviek</p> <p>HG 10.174 HOLMA® Polish Lestiaci prostriedok na Laserove optiky 100ml</p> <p>HG 10.173 Tiffen® - Linsenreinigungspapier Od vyrobcu Kodak® - Papiera Velkost papiera: cca. 70 x 115 mm / Obsah balika: 50 listov</p> <p>HG 15.136 Latexove rukavice (obsah balika: 100 ks)</p> <p>HG 15.138 EM-080 Universalny cistiaci prostriedok (Konzentrat-flaska 500 ml)</p> <p>HG 15.099 Teflonovy drziak k cisteniu sosoviek <i>(pouzitelny z oboch stran)</i></p> <div style="display: flex; align-items: center; margin-bottom: 10px;">  <p>pre sosovku Ø 38.10mm</p> </div> <div style="display: flex; align-items: center;">  <p>pre sosovku Ø 50.80mm</p> </div>	