






























Ref.cislo	Obj.cislo.	Popis	
<b>Spotrebne diely vhodne pre Trumpf® Trumatic L2530, L3030, L3050, L4030, 6000L, L6030, L2503E, L3003E, L4003E, TC 600L</b>			
<b><u>Vsetky trysky balene po 10ks</u></b>			
<b>Medene trysky Standard</b>			
0124561 0124562 0966809 0237497 237497-S 237500 0237501 1253211 0126933  0942742 237504	HG 10.150 HG 10.151 HG 10.148 HG 10.152 HG 10.159 HG 10.153 HG 10.154 HG 10.155 HG 10.158 HG 10.156 HG 10.149 HG 10.157	 Tryska Ø 0,8 mm..... Tryska Ø 1,0 mm..... Tryska Ø 1,2 mm..... Tryska Ø 1,4 mm..... Tryska Ø 1,4 mm konicka..... Tryska Ø 1,5 mm..... Tryska Ø 1,7 mm..... Tryska Ø 2,0 mm..... Tryska Ø 2,3 mm..... Tryska Ø 2,5 mm..... Tryska Ø 2,7 mm..... Tryska Ø 3,0 mm.....	
<b>Chromovane trysky (Hard chromium)</b>			
0352280 0352281 0352282 0352283 0352284 1253212 0352285 0352286	HG 10.150/C HG 10.151/C HG 10.148/C HG 10.152/C HG 10.154/C HG 10.155/C HG 10.158/C HG 10.149/C	 Tryska Ø 0,8 mm <b>chromovana</b> ..... Tryska Ø 1,0 mm <b>chromovana</b> ..... Tryska Ø 1,2 mm <b>chromovana</b> ..... Tryska Ø 1,4 mm <b>chromovana</b> ..... Tryska Ø 1,7 mm <b>chromovana</b> ..... Tryska Ø 2,0 mm <b>chromovana</b> ..... Tryska Ø 2,3 mm <b>chromovana</b> ..... Tryska Ø 2,7 mm <b>chromovana</b> .....	
<b>Medene trysky-dlhe</b>			
<b><i>Skracuju vzdialenost k predoslej vyrezanej hrane a tym znizuju riziko kolizie!!!</i></b>			
1277773 1277771 1277774 1277776 1277779 1277780 1277781 1277782	HG 10.130 HG 10.131 HG 10.132 HG 10.133 HG 10.134 HG 10.135 HG 10.136 HG 10.137	 Tryska Ø 0,8 mm..... Tryska Ø 1,0 mm..... Tryska Ø 1,2 mm..... Tryska Ø 1,4 mm..... Tryska Ø 1,7 mm..... Tryska Ø 2,0 mm..... Tryska Ø 2,3 mm..... Tryska Ø 2,7 mm.....	
<b>Chromovane trysky-dlhe (Hard chromium)</b>			
<b><i>Skracuju vzdialenost k predoslej vyrezanej hrane a tym znizuju riziko kolizie!!!</i></b>			
09/08	HG 10.130/C HG 10.131/C HG 10.132/C HG 10.133/C HG 10.134/C HG 10.135/C HG 10.136/C HG 10.137/C	 Tryska Ø 0,8 mm <b>chromovana</b> ..... Tryska Ø 1,0 mm <b>chromovana</b> ..... Tryska Ø 1,2 mm <b>chromovana</b> ..... Tryska Ø 1,4 mm <b>chromovana</b> ..... Tryska Ø 1,7 mm <b>chromovana</b> ..... Tryska Ø 2,0 mm <b>chromovana</b> ..... Tryska Ø 2,3 mm <b>chromovana</b> ..... Tryska Ø 2,7 mm <b>chromovana</b> .....	

Ref.cislo	Obj.cislo	Popis	
<b>Spotrebne diely vhodné pre Trumpf® Trumatic L2530, L3030, L3050, L4030, 6000L, L6030, L2503E, L3003E, L4003E, TC 600L</b>			
234485	HG 10.163	 Zlomova ochrana.....	
0260432	HG10.109	 Keramicky drziak trysky DIAS III.....	
216066	HG 10.165	 Poistna matica.....	
0225286	HG 10.160	 Teflonovy kryt biely (Lasermatic).....	
254496	HG 10.161	 Teflonovy kryt biely.....	
256153 0955826	HG 10.162 HG 10.162/1	 Teflonovy kryt DIAS III biely..... Teflonovy kryt DIAS III cierny.....	
<b>Spotrebne diely vhodné pre Trumpf® Laser L1003/L2503/L3003/L4003</b>			
216066	HG 10.165	 Poistna matica.....	
215780 087658 088894 217867 088893 221781 235592	HG 10.100 HG 10.101 HG 10.102 HG 10.104 HG 10.103 HG 10.105 HG 10.108	 Tryska Ø 0,8 mm..... Tryska Ø 1,0 mm..... Tryska Ø 1,4 mm Vysokotlakova..... Tryska Ø 1,7 mm Vysokotlakova.....  Tryska Ø 1,5 mm..... Tryska Ø 2,0 mm..... Tryska Ø 3,0 mm.....	
216065	HG 10.112	 Teflonovy kryt biely.....	



Ref.cislo	Obj.cislo	Popis	
<b>Nove!! Nove!!Nove!!</b>			
<b>Spotrebne diely vhodne pre Trumpf® TruLaser® 5030, 5040 a 5060 (6/7KW Laser)</b>			
<b><u>Vsetky trysky balene po 10 ks</u></b>			
1324858 1324860 1324861 1324863 1324864 1324865 1324866 1324867	HG 10.060 HG 10.061 HG 10.062 HG 10.063 HG 10.064 HG 10.065 HG 10.066 HG 10.067	 Tryska EAA Ø 0,8 mm..... Tryska EAA Ø 1,0 mm..... Tryska EAA Ø 1,2 mm..... Tryska EAA Ø 1,4 mm..... Tryska EAA Ø 1,7 mm..... Tryska EAA Ø 2,0 mm..... Tryska EAA Ø 2,3 mm..... Tryska EAA Ø 2,7 mm.....	
1373324 1373325 1373326 1373327 1373328 1373329 1373330 1373331	HG 10.070 HG 10.071 HG 10.072 HG 10.073 HG 10.074 HG 10.075 HG 10.076 HG 10.077	 Tryska EAB Ø 0,8 mm..... Tryska EAB Ø 1,0 mm..... Tryska EAB Ø 1,2 mm..... Tryska EAB Ø 1,4 mm..... Tryska EAB Ø 1,7 mm..... Tryska EAB Ø 2,0 mm..... Tryska EAB Ø 2,3 mm..... Tryska EAB Ø 2,7 mm.....	

Ref.cislo	Obj.cislo	Popis	
<b>Spotrebne diely vhodne pre Trumpf® Laser TLC 105</b>			
913965	HG 10.007	 Poistna matica.....	
<b><u>Vsetky trysky balene po 10ks</u></b>			
<b>Medene trysky Standard</b>			
0212334	HG 10.010	Tryska Ø 1,0 mm.....	
0216199	HG 10.011	 Tryska Ø 1,0 mm HD.....HOLMA Design.....	
0225213	HG 10.012	Tryska Ø 1,4 mm HD.....	
0126156	HG 10.028	Tryska Ø 1,7 mm HD.....	
		Tryska Ø 2,3 mm HD.....	
237364	HG 10.019	 "Sprchova" tryska Ø 1,0 mm.....	
226939	HG 10.013	Tryska Ø 1,0 mm.....	
226940	HG 10.014	 Tryska Ø 1,0 mm HD.....HOLMA Design.....	
227144	HG 10.015	Tryska Ø 1,4 mm HD.....	
	HG 10.029	Tryska Ø 1,7 mm HD.....	
	HG 10.016	Tryska Ø 2,3 mm HD.....	
	HG 10.017	Tryska Ø 1,0 mm.....	
	HG 10.018	 Tryska Ø 1,4 mm HD.....	
	HG 10.030	Tryska Ø 1,7 mm HD.....	
	HG 10.021	Tryska Ø 2,3 mm HD.....	
	HG 10.008	"Teach" Tryska Ø 0,25 mm ryhovana.....	
0135320	HG 10.225	 Tryska Ø 1,0 mm ryhovana.....	
0135318	HG 10.226	Tryska Ø 1,2 mm ryhovana.....	
0126157	HG 10.220	Tryska Ø 1,4 mm ryhovana.....	
	HG 10.221	Tryska Ø 1,7 mm ryhovana.....	
<b>Chromovane trysky (Hard chromium)</b>			
0212334	HG 10.010/C	Tryska Ø 1,0 mm <b>chromovana</b> .....	
0216199	HG 10.025/C	 Tryska Ø 1,0 mm HD <b>chromovana</b> .....	
0225213	HG 10.011/C	Tryska Ø 1,4 mm HD <b>chromovana</b> .....	
0126156	HG 10.012/C	Tryska Ø 1,7 mm HD <b>chromovana</b> .....	
	HG 10.028/C	Tryska Ø 2,3 mm HD <b>chromovana</b> .....	
226939	HG 10.013/C	Tryska Ø 1,0 mm <b>chromovana</b> .....	
226940	HG 10.026/C	 Tryska Ø 1,0 mm HD <b>chromovana</b> .....	
227144	HG 10.014/C	Tryska Ø 1,4 mm HD <b>chromovana</b> .....	
	HG 10.015/C	Tryska Ø 1,7 mm HD <b>chromovana</b> .....	
	HG 10.029/C	Tryska Ø 2,3 mm HD <b>chromovana</b> .....	
	HG 10.016/C	Tryska Ø 1,0 mm <b>chromovana</b> .....	
	HG 10.017/C	 Tryska Ø 1,4 mm HD <b>chromovana</b> .....	
	HG 10.018/C	Tryska Ø 1,7 mm HD <b>chromovana</b> .....	
	HG 10.030/C	Tryska Ø 2,3 mm HD <b>chromovana</b> .....	
0135320	HG 10.225/C	Tryska Ø 1,0 mm ryhovana <b>chromovana</b> .....	
0135318	HG 10.226/C	 Tryska Ø 1,2 mm ryhovana <b>chromovana</b> .....	
0126157	HG 10.220/C	Tryska Ø 1,4 mm ryhovana <b>chromovana</b> .....	
	HG 10.221/C	Tryska Ø 1,7 mm ryhovana <b>chromovana</b> .....	

Ref.cislo	Obj.cislo	Popis	
		<b>Spotrebne diely vhodne pre Trumpf® Laser TLC 1005</b>	
913965	HG 10.007	 Poistna matica.....	
		<b><u>Vsetky trysky balene po 10ks</u></b>	
		<b>Medene trysky Standard</b>	
0958206	HG 10.006	"Teach" tryska Ø 0,25 mm.....	
0913799	HG 10.020		Tryska Ø 0,8 mm HD.....
0913800	HG 10.021		Tryska Ø 1,0 mm HD.....
0913801	HG 10.022		Tryska Ø 1,4 mm HD.....
0937988	HG 10.023		Tryska Ø 1,7 mm HD.....
0937989	HG 10.024		Tryska Ø 2,3 mm HD.....
		<b>Chromovane trysky (Hard chromium)</b>	
0913799	HG 10.020/C		Tryska Ø 0,8 mm HD <b>chromovana</b> .....
0913800	HG 10.021/C		Tryska Ø 1,0 mm HD <b>chromovana</b> .....
0913801	HG 10.022/C		Tryska Ø 1,4 mm HD <b>chromovana</b> .....
0937988	HG 10.023/C		Tryska Ø 1,7 mm HD <b>chromovana</b> .....
0937989	HG 10.024/C		Tryska Ø 2,3 mm HD <b>chromovana</b> .....

Ref.cislo	Obj.cislo	Popis	
		<b>Vzduchove filtre vhodne pre Trumpf®</b>	
	HG 10.178	<b>Vzduchove filtre pre chladice</b> Velkost: 2420 x 550 x 8mm, Balene po 25 ks	
	HG 10.187	<b>Vzduchove filtre pre chladice</b> Velkost: 1520 x 755 x 8mm, Balene po 25 ks	
	HG 10.188	<b>Vzduchove filtre pre chladice</b> Velkost: 1670 x 660 x 8mm, Balene po 25 ks	
	HG 11.188	<b>Vzduchove filtre pre chladice</b> Velkost: 1670 x 620 x 8mm, Balene po 25 ks	
	HG 10.189	<b>Vzduchove filtre pre chladice</b> Velkost: 2420 x 560 x 8mm, Balene po 25 ks	
	HG 11.174	<b>Vzduchove filtre pre chladice</b> Velkost: 3000 x 1800 x 8mm, Balene po 5 ks	
	HG 10.190	<b>Vzduchove filtre pre chladice</b> Velkost: 1200 x 700 x 8mm, Balene po 25 ks	
	HG 10.191	<b>Vzduchove filtre pre chladice</b> Velkost: 990 x 890 x 8mm, Balene po 25 ks	
	HG 11.175	<b>Vzduchove filtre pre chladice</b> Velkost: 670 x 1200 x 8mm, Balene po 25 ks	
	HG 11.178	<b>Vzduchove filtre pre chladice</b> Velkost: 2500 x 1710 x 8mm, Balene po 5 ks	
131626	HG 11.187	<b>Vzduchove filtre pre chladice</b> Velkost: 1530 x 1530 x 8mm, Balene po 5 ks	
	HG 10.176	<b>Vzduchove filtre pre chladice</b> Velkost: 800 x 600 x 8mm, Balene po 25 ks	

Ref.cislo	Obj.cislo.	Popis	
<b>HOLMA®</b> <b>CO<sub>2</sub>-Laserove sosovky</b> <b>vhodne pre Trumpf®</b>			
0346104	HG 10.166/H	ZnSe-Meniskusova sosovka <b>3,75"</b> Vysokotlakova (29 bar), Ø 38,1 mm Ohniskova vzdialenosť: 95,3 mm Hrubka okraja: 7,4 mm AR/AR pre 10,6µm (Absorption <0.20%)	
088114	HG 10.167/H	ZnSe-Meniskusova sosovka <b>5,00"</b> Vysokotlakova (29 bar), Ø 38,1 mm Ohniskova vzdialenosť: 127,0 mm Hrubka okraja: 7,4 mm AR/AR pre 10,6µm (Absorption <0.20%)	
097517	HG 10.168/H	ZnSe-Meniskusova sosovka <b>7,50"</b> Vysokotlakova (29 bar), Ø 38,1 mm Ohniskova vzdialenosť: 190,5 mm Hrubka okraja: 7,4 mm AR/AR pre 10,6µm (Absorpcia <0.20%)	
0141972	HG 10.169/H	ZnSe-Meniskusova sosovka <b>9,00"</b> Vysokotlakova (29 bar), Ø 38,1 mm Ohniskova vzdialenosť: 225,0 mm Hrubka okraja: 7,4 mm AR/AR pre 10,6µm (Absorpcia <0.20%)	
0350163	HG 10.179/H	ZnSe-Meniskusova sosovka <b>10,00"</b> Vysokotlakova (29 bar), Ø 38,1 mm Ohniskova vzdialenosť: 254,0 mm Hrubka okraja: 7,4 mm AR/AR pre 10,6µm (Absorpcia <0.20%)	
<p><b>Pri strojoch s vykonom vacsim ako 4kW odporucame sosovky HOLMA Ultra-Low s ultra tenkym povlakom.</b>  <b>Vzhladom na to, ze tieto sosovky maju nizsiu absorpcnu hodnotu (&lt;0,12%) ako standardne, je prijem tepla mensi, a tym sa znižuje ich napätie a opticke natiahnutie.</b>  <b>Okrem toho maju tieto sosovky stabilnejšiu fokusovu polohu.</b>  <b>To plati obzvlast pri znečistení.</b>  <b>Kedze tieto sosovky niesu cierne, nieje obmedzena funkcia kontrolneho luca.</b>  <b>HOLMA Ultra Low-sosovky su na okraji primerane oznacene.</b></p>			
088114	HG 10.167/HU	ZnSe-Meniskusova sosovka <b>5,00"</b> Vysokotlakova (29 bar), Ø 38,1 mm Ohniskova vzdialenosť: 127,0 mm Hrubka okraja: 7,4 mm <b>HOLMA® Ultra Low</b> AR/AR pre 10,6µm ( <b>Absorpcia &lt;0.12%</b> )	
097517	HG 10.168/HU	ZnSe-Meniskusova sosovka <b>7,50"</b> Vysokotlakova (29 bar), Ø 38,1 mm Ohniskova vzdialenosť: 190,5 mm Hrubka okraja: 7,4 mm <b>HOLMA® Ultra Low</b> AR/AR pre 10,6µm ( <b>Absorpcia &lt;0.12%</b> )	
0141972	HG 10.169/HU	ZnSe-Meniskusova sosovka <b>9,00"</b> Vysokotlakova (29 bar), Ø 38,1 mm Ohniskova vzdialenosť: 225,0 mm Hrubka okraja: 7,4 mm <b>HOLMA® Ultra Low</b> AR/AR pre 10,6µm ( <b>Absorpcia &lt;0.12%</b> )	
0350163	HG 10.179/HU	ZnSe-Meniskusova sosovka <b>10,00"</b> Vysokotlakova (29 bar), Ø 38,1 mm Ohniskova vzdialenosť: 254,0 mm Hrubka okraja: 7,4 mm <b>HOLMA® Ultra Low</b> AR/AR pre 10,6µm ( <b>Absorpcia &lt;0.12%</b> )	
09/10		© Copyright 2010 by HOLMA® Všetky práva vyhradené.	Strana 9

Ref.cislo	Obj.cislo.	Popis	
		<p><b>HOLMA®</b>  <b>Prislusenstvo na cistenie CO<sub>2</sub>-Laserovych sosoviek</b></p>	
	HG 10.174	<p><b>HOLMA® Polish</b>  Lestiaci prostriedok na laserove optiky 100ml</p>	
	HG 10.173	<p><b>Tiffen® - Cistiaci papier na sosovky</b>  Od vyrobcu Kodak®-papiera  Velkost papiera: ca. 70 x 115 mm/ Obsah balika: 50 listov</p>	
	HG 15.136	<p><b>Latexove rukavice</b> (obsah balika: 100 ks)</p>	
	HG 15.138	<p><b>EM-080 Universalny cistiaci prostriedok</b>  (Konzentrat-flaska 500 ml)</p>	
	HG 15.099	<p><b>Teflonovy drziak k cisteniu sosoviek</b>  <i>(pouzitelny z oboch stran)</i></p>	
		<div style="display: flex; align-items: center;">  <p>pre sosovku Ø 38.10mm</p> </div>	
		<div style="display: flex; align-items: center;">  <p>pre sosovku Ø 50.80mm</p> </div>	